



INTRODUCING **PORTALEVEL® MAX PLUS**

World's Leading Most Accurate Ultrasonic Liquid Level Indicator with GAS/LIQUID display



INTRODUCING THE PORTALEVEL® MAX PLUS

Launching the latest model in our Portalevel® Range.

Our brand new **Portalevel MAX® PLUS** takes its place as world's leading, and most accurate contents monitor for liquified gaseous extinguishing systems.

The new display screen on the Portalevel® MAX PLUS makes testing cylinders easy simply showing **LIQUID or GAS**



Intuitive Display

- **Type** – Portable Ultrasonic Liquid Level Indicator
- **Function** – Non-invasive liquid level detection of various fire suppression agent, such as; CO2, FM200™, NOVEC™ 1230, old Halon agents, FE-13™, FE-25™, NAF S III™ and all core Clean Agent systems.
- **Part Number** – 2290334-COMXPS
- **Approvals** – UL Listed, RINA Accepted, ABS Type Approval.
- **IMPA P/N** – 652776
- **Standards** – UKCA, CE, Coltraco is ISO 9001 and ISO 14001 approved



THE NEW PORTALEVEL® MAX PLUS

The **Portalevel® MAX PLUS** offers significant improvements to our existing Portalevel® range with upgraded functionality. All within a smart, ergonomic, portable, durable hand-held enclosure.

GAS/LIQUID Screen Indication

- Intuitive user interface indicates GAS or LIQUID depending on where the sensor is placed on the cylinder.

Three Calibration Modes

- Carefully configured to cater for the different fire suppression cylinders / agents you measure.
- Ensures greater control and success rate when testing, especially on old, damaged or challenging cylinders.

Four Power Settings Increase Gain

- 4 settings ensure the returned ultrasound signal is sufficiently amplified to be easily detected by the transducer.
- Ensures the most accurate measurement possible.

Tactile Buttons

- Improved ergonomics give users greater feel and confidence when operating the Portalevel® MAX PLUS.



ADVANTAGES OF THE PORTALEVEL® MAX PLUS

QUICK, ACCURATE AND RELIABLE

Faster Measurement

5-25 seconds
compared to 15
minutes by weighing

Accurate

to $\pm 1.5\text{mm}$ of the true
liquid level

Three Calibration Modes

For accuracy on a wide
range of agents and
cylinders of varying
size/type and condition

Regulation Compliant

UL Listed, RINA Accepted,
ABS Type Approved



Portable

hand-held device
designed to be used by
1 person

Intuitive

Display/Operation

display for use with
minimal training

Minimise risk

eliminates heavy lifting
or accidental discharges
when weighing

Improve asset safety

keep cylinders in-situ and
fire suppression system on